

SAFETY DATA SHEET

Revision Date 21-May-2015

WAI1 - AGHS - OSHA

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name	1413 uS/cm Conductivity Solution uS/cm Conductivity Solution PPT as NaCl Pouch, 5650 uS/cm			
Product Number(s)	00606-10, 35653-11, 00653-12, 00653-15, 00653-16, 00653-18, 00653-20, 35653-12, 00653-23, 00653-27, 00653-47, 35653-10, 00653-50, 35653-13, 35653-13, 35653-15			
Pure substance/mixture	Mixture			
Relevant identified uses of the sub	Relevant identified uses of the substance or mixture and uses advised against			
Recommended Use	Use as laboratory reagent			
Uses advised against	No Information available			
<u>Manufacturer/Supplier</u>	Cole-Parmer™ North America 625 East Bunker Court Vernon Hills, IL 60061 USA Tel: 1-800-323-4340			
E-mail address	info@coleparmer.com			
Made in	USA			
Emergency Telephone	888-358-4717 8:00 am - 6:00 pm CST			

Product Name 1413 uS/cm Conductivity Solution uS/cm Conductivity Solution

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label Elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Clear

Physical State Liquid

Odor None

Safety data sheet available on request

Precautionary Statements

Do not handle until all safety information has been read and understood.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %	Trade Secret
Water	7732-18-5	90 - 100%	*
Potassium Chloride	7447-40-7	0 - 10%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Product Name	1413 uS/cm Conductivity Solution uS/cm Conductivity Solution PPT as NaCl Pouch, 5650 uS/cm	Revision Date 21-May-2015
General Advice	Use first aid treatment according to the nature of the immediately if symptoms occur. Show this safety d	, ,
Eye Contact	Rinse thoroughly with plenty of water, also under the	he eyelids. Obtain medical attention.
Skin Contact	Wash off immediately with soap and plenty of wate all contaminated clothing and shoes. If skin reaction	6

- Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, obtain medical attention.
- Ingestion Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately.
- **Protection of First-aiders** Use personal protective equipment. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms/effects No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Product Name	1413 uS/cm Cond uS/cm Conductivi uS/cm Conductivi	ty Solution ty Solution
Personal Precau Environmental P		Use personal protective equipment. Refer to Section 8. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Methods and Ma	terial for Containm	nent and Cleaning Up
Methods for Con	tainment	Prevent further leakage or spillage if safe to do so.
Methods for Clea	ning Up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
7. HANDLING	AND STORAG	E
Precautions for S	Safe Handling	
Handling		To avoid risks to human health and the environment, comply with the instructions for use Wear personal protective equipment Avoid breathing dust/fume/gas/mist/vapours/spray Ensure adequate ventilation, especially in confined areas
Conditions for Sa	afe Storage, Incluc	ling any Incompatibilities
Storage		Keep container tightly closed in a dry and well-ventilated place Store at room temperature in the original container Keep away from direct sunlight
Incompatible Pro	oducts	No information available
8. EXPOSURE	CONTROLS/P	ERSONAL PROTECTION
Control parameter	ers_	
Exposure Guidel	ines	This product does not contain any hazardous materials with occupational exposure limits
Appropriate engi	neering controls	established by the region specific regulatory bodies.
Engineering Mea	sures	Showers Eyewash stations Ventilation systems
Individual protec	tion measures, su	ch as personal protective equipment
Eye/face Protect	ion	Wear chemical splash goggles. If splashes are likely to occur, wear:. Face-shield.
Skin and Body P	rotection	Wear protective gloves/clothing.
Respiratory Prot	ection	None required under normal usage. In case of inadequate ventilation wear respiratory protection.
Hygiene Measure	es	Handle in accordance with good industrial hygiene and safety practice.
Product Number	(s) 00606-10, 3565	53-11, 00653-12, 00653-15, Document No. 264886-001 EN Page 4/9

Product Name

1413 uS/cm Conductivity Solution PPT as NaCl Pouch, 5650 uS/cm

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical propertiesPhysical StateLiquidAppearanceClearOdorNoneOdor ThresholdNo information availablepH Range4.75 - 7.75

Property

Melting point/freezing point **Boiling Point/Range** Flash Point (High in °C) **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor Density **Specific Gravity** Water Solubility Solubility in other solvents **Partition coefficient Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic viscosity Explosive Properties Oxidizing Properties**

Other Information

Softening Point Molecular Weight VOC Content(%) Density Bulk Density Values No information available ~ 100 °C / 212 °F N/A No information available No information available

No information available No information available No information available No information available soluble No information available No information available

No information available No information available No information available No information available No information available

No information available No information available No information available No Information available No information available

10. STABILITY AND REACTIVITY

Reactivity No Information available

<u>Chemical Stability</u> Stable under normal conditions

Possibility of Hazardous Reactions None under normal processing

EN

Remarks • Method

Product Name 1413 uS/cm Conductivity Solution uS/cm Conductivity Solution

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No information available
Eye Contact	No information available
Skin Contact	No information available
Ingestion	No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Potassium Chloride	= 2600 mg/kg (Rat)	-	-
7447-40-7			

Information on Toxicological Effects

Symptoms

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available	
Mutagenic Effects	No information available	
Carcinogenicity	No information available.	
Reproductive Effects	No information available	
STOT - single exposure	No information available	
STOT - repeated exposure	No information available	
Aspiration hazard	No information available	
Numerical measures of toxicity - Product Information		

Product Name 1413 uS/cm Conductivity Solution uS/cm Conductivity Solution

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Water Flea
Potassium Chloride 7447-40-7	2500: 72 h Desmodesmus subspicatus mg/L EC50	750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	•
		static	

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS		
Waste treatment methods		
Waste Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.	

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
	Not regulated
IMDG/IMO	Not regulated
<u>RID</u>	Not regulated

Product Name	1413 uS/cm Conductivity Solution
	uS/cm Conductivity Solution
	PPT as NaCl Pouch, 5650 uS/cm

ADR

Not regulated

<u>ADN</u>

Not regulated

15. REGULATORY INFORMATION

International Inventories	
USINV	Complies
CANINV	Complies
EINECS/ELINCS	Complies
ENCS	Does not Comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act Not applicable

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Product Name	1413 uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution
	uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution uS/cm Conductivity Solution
	PPT as NaCl Pouch, 5650 uS/cm

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	New Jersey	Massachusetts	Pennsylvania
Water	-	-	Х
7732-18-5			

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By	Thermo Fisher Scientific© Water and Lab Products 22 Alpha Road Chelmsford, MA 01824, USA 1-978-232-6000
Prepared For	Cole-Parmer TM
Issue Date	No information available
Revision Date	21-May-2015
Expiration Date	SDS is valid 3 years from the revision date. Contact info@coleparmer.com for the latest revision.
Reason for revision	Update to CLP Format

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet