# 1. PRODUCT IDENTIFICATION

PRODUCT NAME: 57

PRODUCT COLOR: Violet

RECOMMENDED USE: Coding and Marking

Manufacturer/Supplier:

American Coding & Marking Ink Co., Inc. 1-908-756-0373

1220 North Avenue Plainfield, NJ 07062-1796 USA

**Emergency Telephone Number:** 

TRANSPORTATION: CHEMTREC: 1-800-424-9300 (North America)

1-703-527-3887 (International)

# 2. HAZARDS IDENTIFICATION

# **Emergency Overview:**

## **GHS Classification:**

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A

GHS label elements, including precautionary statements



Pictogram

Signal Word **Danger** 

**Hazard Statements** 

H225 Highly flammable liquid and vapor H319 Causes serious eye irritation

**Precautionary Statements** 

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P233 Keep container tightly closed P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353 Wear protective gloves/protective clothing/eye protection/face protection
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P370+P378 In case of fire: Use Water spray, CO2, dry chemical, or alcohol resistant foam to

extinguish

P403+P235 Store in a well-ventilated place. Keep cool

P501 Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	20-40
2-Propanol	67-63-0	0-5
Propyl Acetate	109-60-4	0-5

## 4. FIRST AID MEASURES

**First Aid Measures** 

**Ingestion:** If swallowed, do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Rinse mouth with water. Consult a

physician.

**Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician.

**Skin:** Wash off with soap and plenty of water. Consult a physician.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give

artificial respiration. Consult a physician.

Most important symptoms and effects

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

Revision Date: 7/31/2015

## 5. FIREFIGHTING MEASURES

#### Suitable extinguishing media:

Water fog, Multipurpose foam, Dry chemical, CO<sub>2</sub>

## Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards in case of fire:

Fight as volatile liquid fire Flashback fires may occur

# Hazardous combustion products:

Carbon oxides, organic combustion products which may be toxic and/or irritating

# Protective equipment and precautions for fire fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions:

Wear chemical goggles, gloves, boots and protective clothing. Wear respirator if necessary. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition and heat.

#### **Environmental precaution:**

Prevent additional discharge of material. Prevent material from entering sewers or water courses.

### Methods and materials for containment and cleaning up:

Absorb small spills with sand, filter-aid, vermiculite or other inert absorbent material, them place in a chemical waste container. For large spills, contain with sand or earth dikes. Dispose of waste in accordance with applicable government regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Avoid contact with eyes. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink of smoke when using this product. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Unscrew all caps slowly. Do not unscrew entirely until all pressure has been completely released. Keep away from heat/sparks/open flames/hot surfaces. Emptied containers may retain residues. Precautions apply to emptied containers.

# Conditions for safe storage, including incompatibilities:

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep storage temperature between 4-32 °C (40-90 °F). Incompatible with strong oxidizing agents, strong acids, strong bases, alkali metals and halogens.

SDS# 0057-01

Revision Date: 7/31/2015

# 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure Guidelines:**

Chemical Name and CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
			TWA: 1900 mg/m <sup>3</sup>
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		STEL: 500 ppm	TWA: 980 mg/m <sup>3</sup>
		STEL: 1225 mg/m <sup>3</sup>	STEL: 500 ppm
			STEL: 1225 mg/m <sup>3</sup>
Propyl Acetate	TWA: 200 ppm	TWA: 400 ppm	IDLH: 1700 ppm
109-60-4	TWA: 840 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm
	STEL: 250 ppm	STEL: 500 ppm	TWA: 840 mg/m <sup>3</sup>
	STEL: 1025 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	STEL: 250 ppm
			STEL: 1050 mg/m <sup>3</sup>

### Appropriate engineering controls

Apply technical measures to comply with the occupational exposure limits. Local exhaust and mechanical ventilations are recommended to be used as engineering controls.

## Individual protection measures, such as personal protective equipment:

**Eye/Face protection:** Safety glasses with side shields or chemical goggles must be worn.

**Skin/Body protection:** Wear protective gloves. Wear suitable protective clothing and footwear

appropriate for the risk of exposure.

Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn. Respiratory protection must be

provided in accordance with current local regulations.

**General hygiene:** Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**Property Values** Remarks-Methods Physical state: Liquid Color: Colorless Odor: Low **Odor threshold:** Not determined pH: Not determined Melting point/freezing point: Not determined Boiling point/Boiling range: Not determined Flash point: 12.8 °C / 55 °F Tag Closed Cup **Evaporation Rate:** >1 butyl acetate = 1 Flammability (solid, gas): Not determined **Upper/lower flammability limits:** Not determined Vapor pressure: Not determined Vapor density: air = 1>1 Specific gravity: 0.95 water = 1Water solubility: Complete Solubility in other solvents: Not determined **Partition Coefficient:** Not determined **Auto-ignition Temperature:** Not determined

Decomposition temperature: Not determined Viscosity: Not determined

 VOC Content (%):
 95%

 VOC Content:
 7.5 lbs/gal

## 10. STABILITY AND REACTIVITY

# Reactivity:

Not reactive under normal conditions.

## **Chemical Stability:**

Stable under recommended storage conditions.

### Possibility of hazardous reactions:

None under normal processing.

## Conditions to avoid:

Keep out of reach of children. Keep away from heat, sparks and open flame. Keep away from contact with incompatible materials.

#### Incompatible materials:

Strong oxidizing agents, strong acids, strong bases, alkali metals, halogens

#### Hazardous decomposition products:

Carbon oxides, thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Eye contact:** Causes serious eye irritation

**Skin contact:** Not irritation.

**Inhalation:** May cause respiratory irritation.

**Ingestion:** May be harmful if swallowed

# **Component Information:**

Chemical Name and CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol	= 7,060 mg/kg (Rat)	> 2,000 mg/kg ( Rabbit )	= 20,000 mg/ m <sup>3</sup> (Rat) 10 h
64-17-5			
2-Propanol	= 5,045 mg/kg (Rat)	= 12,800 mg/kg (Rabbit)	$= 16,000 \text{ mg/m}^3 \text{ (Rat) 8 h}$
67-63-0			
Propyl Acetate	= 9,370 mg/kg ( Rat )	= 17,740 mg/kg ( Rabbit )	No data available
109-60-4			

## Information on physical, chemical and toxicological effects:

**Symptoms** Please see section 4 of this SDS for symptoms

# Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Carcinogenicity:

# **SAFETY DATA SHEET**

Revision Date: 7/31/2015

Chemical Name	ACGIH	IARC	NTP	OSHA
None				

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 – Confirmed human carcinogen

A2 - Suspected human carcinogen

A3 - Confirmed animal carcinogen with unknown relevance to humans

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A – Probably Carcinogenic to Humans Group 2B – Limited evidence of carcinogenicity

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Presen

#### Numerical measures of toxicity:

Not determined

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity:**

## **Component Information**

Chemical Name and CAS#	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Alcohol	EC50 – Chlorella vulgaris -	LC50 - Pimephales promelas		EC50 - Daphnia magna -
64-17-5	>100 mg/L – 72h	– 15,300 mg/L – 96h	EC50 = 35470 mg/L 5 min	9268 - 14221 mg/L – 48h
2-Propanol 67-63-0	EC50 - Desmodesmus subspicatus - 2000 mg/L – 72h	LC50 - Pimephales promelas - 9,640 mg/L - 96h		EC50 - Daphnia magna – 5,102 mg/L – 96h
Propyl Acetate 109-60-4	EC50 – Pseudokirchneriella subcapitata - >100 mg/L – 72h	LC50 - Pimephales promelas ->10-100 mg/L - 96h		EC50 - Daphnia magna - 318 mg/L – 24h

## Persistence/Degradability:

Not determined

Bioaccumulation:

Not determined

Mobility:

Not determined

Other Adverse Effects:

No data available

# 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local

laws and regulations.

Contaminated Packaging: Dispose of as unused product in accordance with applicable regional, national

and local laws and regulations.

.

# **SECTION 14 – TRANSPORTATION INFORMATION**

DOT

UN number 1210

Proper shipping name PRINTING INK

Hazard class 3
Packing group II
ERG# 129

**IATA** 

UN number 1210

Proper shipping name PRINTING INK

Hazard class 3 Packing group II

**IMDG** 

UN number 1210

Proper shipping name PRINTING INK

Hazard class 3
Packing group II
Marine pollutant No

# **SECTION 15 – REGULATORY INFORMATION**

TSCA STATUS: All Components listed

OTHER REGULATORY:

Ingredient(s) **SARA 302** SARA 311/312 **SARA 313 RECRA CERCLA** Ethyl Alcohol No F, C No No No F, A, C 2-Propanol No Yes No No Propyl Acetate No F, A No No No

SARA 311/312 Codes: R = Reactive Hazard

P = Pressure Hazard F = Fire Hazard A = Immediate/Acute C = Delayed/Chronic

**California Prop. 65 Components:** Chemicals known to the state of California to cause birth defects or other reproductive harm:

This product does not contain any chemicals known to the state of California to cause cancer, birth defects or any other reproductive harm.

# **SECTION 16 – OTHER INFORMATION**

HMIS:

Health: 1
Chronic Health Hazard \*
Flammability: 3
Reactivity: 0

# **SAFETY DATA SHEET**

SDS# 0057-01 Revision Date: 7/31/2015

Revision Date: 31-Jul-2015 Replaces: 06-Feb-2004 Revision Note: New SDS format

Prepared by: Thomas Sweet, VP

# **DISCLAIMER OF LIABILITY**

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material described in this MSDS. Information contained herein is given in good faith and believed to be true and accurate, but all statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material, or results to be obtained from the use thereof. All of the listed ingredients in this product that are considered to present a health hazard as defined in Appendix A of the OSHA "Hazard Communication" standard (29CFR 1910.1200) as listed in Section II. All of the information given, including ingredient identification, CAS Number, and quantity, is proprietary information, which has been provided in order to meet the objective of the "Hazard Communication" standard. Data provided here are typical and not intended for use as product specifications. This formulation information is confidential, and only to be disclosed in accordance with Federal and State safety and health regulations. Permission to disclose any ingredient information for any other purpose is neither given nor implied.