

Safety Data Sheet

OSHA format Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name COLOR DEVELOPING REAGENT

Other means of identification

Product Code(s) V-6281

Recommended use of the chemical and restrictions on use

Recommended Use Use as a laboratory reagent. Laboratory chemicals. Industrial (not for food or food contact

use).

Details of the supplier of the safety data sheet

LaMotte Company, Inc. 802 Washington Avenue

P.O. Box 329

Chestertown, MD 21620 USA

T 410-778-3100 F 410-778-9748

Emergency telephone number

24 Hour Emergency Number (CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION

| Acute toxicity - Oral | Category 4 |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (repeated exposure) | Category 2 |

EMERGENCY OVERVIEW

WARNING

Hazard statements

Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.



Appearance White Physical state powder Odor Odorless

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

36% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS*

| Chemical name | CAS No | Weight-% |
|-------------------------------|------------|----------|
| Manganese sulfate monohydrate | 10034-96-5 | 10 |
| Ammonium chloride | 12125-02-9 | 45-55 |

4. FIRST AID MEASURES

First Aid Measures

General advice Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Call a

physician immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and isolate

contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a

physician immediately.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Self-protection of the first aider Use personal protection recommended in Section 8. Ensure that medical personnel are

aware of the material(s) involved, take precautions to protect themselves and prevent

spread of contamination.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of toxic and corrosive gases/vapors.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation. Remove

all sources of ignition.

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containmentContain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Absorb/Cover spill with sodium bicarbonate or sodium carbonate to neutralize, then place in a chemical waste container for later disposal.

Methods for cleaning upAfter cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not taste or

swallow. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

this product. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

oxidizing agents. Keep away from heat and sources of ignition. Keep away from heat, moisture, and incompatibles. Protect from moisture. Do not allow contact with air. Keep out

of the reach of children.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases. Finely powdered metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|---------------------------------|--|--------------------------------|
| Manganese sulfate monohydrate | TWA: 0.02 mg/m ³ Mn | (vacated) Ceiling: 5 mg/m ³ | IDLH: 500 mg/m ³ Mn |
| 10034-96-5 | TWA: 0.1 mg/m ³ Mn | Ceiling: 5 mg/m³ Mn | TWA: 1 mg/m³ Mn |
| | _ | | STEL: 3 mg/m ³ Mn |
| Ammonium chloride | STEL: 20 mg/m ³ fume | (vacated) TWA: 10 mg/m ³ fume | TWA: 10 mg/m ³ fume |
| 12125-02-9 | TWA: 10 mg/m ³ fume | (vacated) STEL: 20 mg/m ³ | STEL: 20 mg/m³ fume |
| | _ | fume | - |

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Gloves & Lab Coat. Impervious clothing. Rubber gloves. Protective gloves. Nitrile rubber.

Respiratory protection Handle in an enclosing hood with exhaust ventilation. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures Use only with adequate ventilation. Wear suitable gloves and eye/face protection. Avoid

contact with eyes, skin and clothing. Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety

·

practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical statepowderAppearanceWhiteOdorOdorless

Property Values Remarks • Method

pH 7 (0.1g/10mL water)

Melting point / freezing pointNo information availableBoiling point / boiling rangeNo information availableFlash pointNot Applicable

Flash point Evaporation rate

Flammability (solid, gas)

Flammability Limit in Air

No information available

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Specific gravity No information available No information available Water solubility Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature**

Decomposition temperature
Kinematic viscosity
No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions. **Hazardous polymerization** Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods. Excessive heat. Incompatible products. **Incompatible materials** Strong oxidizing agents. Strong bases. Finely powdered metals.

Hazardous decomposition products Ammonia. Hazardous decomposition products formed under fire conditions - carbon oxides

(COx), nitrogen oxides (NOx), sulfur oxides (SOx), hydrogen chloride gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component identification

| Chemical name | ATEmix (oral) | ATEmix (dermal) | Inhalation LC50 |
|--|--------------------|-----------------|-----------------|
| Manganese sulfate monohydrate 10034-96-5 | = 782 mg/kg(Rat) | Not Established | Not Established |
| Ammonium chloride 12125-02-9 | = 1650 mg/kg (Rat) | Not Established | Not Established |

Information on toxicological effects

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-------------------|-----------------|-----------------|-----------------|-----------------|
| Manganese sulfate | Not Established | Not Established | Not Established | Not Established |
| monohydrate | | | | |
| 10034-96-5 | | | | |
| Ammonium chloride | Not Established | Not Established | Not Established | Not Established |
| 12125-02-9 | | | | |

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Chronic toxicity Chronic manganese poisor

Chronic manganese poisoning primarily involves the central nervous system. Chronic manganese poisoning can result from excessive inhalation and ingestion. Early symptoms include sluggishness, sleepiness, and weakness in the legs. Kidney effects. Chronic

inhalation exposure can cause lung damage.

ATEmix (oral) 1,428.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

Unknown Aquatic Toxicity 3 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Toxicity to Algae | Toxicity to Fish | Daphnia Magna (Water Flea) |
|-------------------------------|-------------------|--------------------------------|------------------------------|
| Manganese sulfate monohydrate | Not Established | Not Established | Not Established |
| 10034-96-5 | | | |
| Ammonium chloride | Not Established | 209: 96 h Cyprinus carpio mg/L | 202: 24 h Daphnia magna mg/L |
| 12125-02-9 | | LC50 static 725: 24 h Lepomis | LC50 |
| | | macrochirus mg/L LC50 | |

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

No information available.

| Chemical name | Log Pow |
|-------------------------------|-----------------|
| Manganese sulfate monohydrate | Not Established |
| 10034-96-5 | |
| Ammonium chloride | Not Established |
| 12125-02-9 | |

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste product or used containers according to local regulations.

Contaminated packaging

Dispose of waste product or used containers according to local regulations.

| Chemical name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--|-----------------|--------------------------|------------------------|------------------------|
| Manganese sulfate monohydrate 10034-96-5 | Not Established | - | Not Established | Not Established |
| Ammonium chloride 12125-02-9 | Not Established | - | Not Established | Not Established |

| Chemical name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|--|---|------------------------|------------------------|------------------------|
| Manganese sulfate monohydrate 10034-96-5 | Not Established | Not Established | Not Established | Not Established |
| Ammonium chloride 12125-02-9 | Not Established | Not Established | Not Established | Not Established |

| Chemical name | California Hazardous Waste Status |
|-------------------------------|-----------------------------------|
| Manganese sulfate monohydrate | - |
| 10034-96-5 | |

| Ammonium chloride | - |
|-------------------|---|
| 12123-02-9 | |

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Complies **KECL** Does not comply **PICCS** Complies Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|-------------------------------|-------------------------------|
| Manganese sulfate monohydrate | 1.0 |
| 10034-96-5 | |
| Ammonium chloride | 1.0 |
| 12125-02-9 | |

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous |
|---------------|------------------|------------------------|---------------------------|-----------------|
| | Quantities | | - | Substances |

| Manganese sulfate monohydrate 10034-96-5 | Not Established | Not Established | Not Established | Not Established |
|--|-----------------|-----------------|-----------------|-----------------|
| Ammonium chloride 12125-02-9 | 5000 lb | Not Established | Not Established | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | RQ |
|---|--------------------------|-----------------|--|
| Manganese sulfate monohydrate 10034-96-5 | - | Not Established | - |
| Ammonium chloride 12125-02-9 | 5000 lb | Not Established | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65


This product does not contain any Proposition 65 chemicals

| Chemical name | California Proposition 65 |
|--|---------------------------|
| Manganese sulfate monohydrate 10034-96-5 | Not Established |
| Ammonium chloride | Not Established |
| 12125-02-9 | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|-----------------|--------------|
| Manganese sulfate monohydrate 10034-96-5 | X | Not Established | X |
| Ammonium chloride 12125-02-9 | Х | X | X |

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances



Prepared by Issuing Date Disclaimer Regulatory Affairs Department May-29-2015

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet