



Du Pont
Material Safety Data Sheet

"DuPont" "CIMARRON" PLUS HERBICIDE
M0000643 Revised 12-FEB-2009

Substance ID :130000029442

CHEMICAL PRODUCT/COMPANY IDENTIFICATION

Material Identification

"CIMARRON" is a registered trademark of DuPont.

"DuPont" is a trademark of DuPont.

Tradenames and Synonyms

"CIMARRON"
DPX-MGU61
B12163560

Company Identification

MANUFACTURER/DISTRIBUTOR
DuPont
1007 Market Street
Wilmington, DE 19898

PHONE NUMBERS

Product Information : 1-800-441-7515 (outside the U.S.
302-774-1000)
Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S.
703-527-3887)
Medical Emergency : 1-800-441-3637 (outside the U.S.
302-774-1000)

COMPOSITION/INFORMATION ON INGREDIENTS

Components

Table with 3 columns: Material, CAS Number, %
METSULFURON METHYL 74223-64-6 48
(Methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino] sulfonyl] benzoate
\*CHLORSULFURON 64902-72-3 15
(2-Chloro-N[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)aminocarbonyl] benzenesulfonamide)
INERT INGREDIENTS 37

\* Disclosure as a toxic chemical is required under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

-----  
HAZARDS IDENTIFICATION  
-----

## Emergency Overview

CAUTION! Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust or spray mist. Remove and wash contaminated clothing before reuse.

## Potential Health Effects

Based on animal data, eye contact may cause eye irritation with tearing, pain or blurred vision.

Based on animal data, repeated dermal contact with the active ingredient may cause skin irritation with itching, burning, redness, swelling or rash.

## Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

-----  
FIRST AID MEASURES  
-----

## First Aid

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

INHALATION: No specific intervention is indicated as the product is not likely to be hazardous by inhalation. Consult a physician if necessary.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

-----  
FIRE FIGHTING MEASURES  
-----

## Flammable Properties

Not a fire or explosion hazard.

Like most organic powders or crystals, under severe dusting conditions, this material may form explosive mixtures in air.

## Extinguishing Media

Water Spray, Foam, Dry Chemical, CO2.

## Fire Fighting Instructions

Evacuate personnel to a safe area. Wear self-contained breathing apparatus. Wear full protective equipment. Use water spray. Runoff from fire control may be a pollution hazard.

If area is exposed to fire and conditions permit, let fire burn itself out. Burning chemicals may produce by-products more toxic than the original material. If product is on fire, wear self-contained breathing apparatus and full protective equipment. Use water spray. Control runoff.

-----  
ACCIDENTAL RELEASE MEASURES  
-----

## Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Emergency Response - Chemical resistant coveralls, waterproof gloves, waterproof boots and face/eye protection. If dusting occurs, use NIOSH approved respirator protection.

## Initial Containment

Dike spill. Prevent material from entering sewers, waterways, or low areas.

Follow applicable Federal, State/Provincial and Local laws/regulations.

## Spill Clean Up

Shovel or sweep up.

-----  
HANDLING AND STORAGE  
-----

## Handling (Personnel)

**Du Pont**  
**Material Safety Data Sheet**

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### Handling (Physical Aspects)

Keep away from heat, sparks and flames.

#### Storage

Store product in original container only. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

-----  
EXPOSURE CONTROLS/PERSONAL PROTECTION  
-----

#### Engineering Controls

Use only with adequate ventilation.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options follow the instructions for Category A on the EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

Long-sleeved shirt and long pants.

Chemical-Resistant Gloves Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils.

Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls.

Chemical Resistant Gloves Category A (such as butyl

rubber, natural rubber, neoprene rubber, or nitrile

**Du Pont**  
**Material Safety Data Sheet**

rubber), all greater than or equal to 14 mils.  
Shoes plus socks.

#### Exposure Guidelines

##### Applicable Exposure Limits

###### METSULFURON METHYL

PEL (OSHA) : None Established  
TLV (ACGIH) : None Established  
AEL \* (DuPont) : 10 mg/m<sup>3</sup>, 8 & 12 Hr. TWA

###### CHLORSULFURON

PEL (OSHA) : None Established  
TLV (ACGIH) : None Established  
AEL \* (DuPont) : 10 mg/m<sup>3</sup>, 8 & 12 Hr. TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

---

#### PHYSICAL AND CHEMICAL PROPERTIES

---

##### Physical Data

Solubility in Water : Dispersible  
Odor : Slight acrid  
Form : Solid granule  
Color : Light brown  
pH : 4.7

Bulk Density : 0.656 mg/L

---

#### STABILITY AND REACTIVITY

---

##### Chemical Stability

Stable at normal temperatures and storage conditions.

##### Incompatibility with Other Materials

None reasonably foreseeable.

##### Decomposition

Decomposition will not occur.

##### Polymerization

Polymerization will not occur.

---

#### TOXICOLOGICAL INFORMATION

---

# Animal Data

Data based on components:

Oral LD50: > 5000 mg/kg in rats  
Skin LD50: > 2000 mg/kg in rabbits  
Inhalation LC50, 4 hr: > 5.3 mg/L in rats

Based on data from components, this product is a slight eye and skin irritant, but is not a skin sensitizer in animals.

**METSULFURON METHYL**

Repeated applications of Metsulfuron Methyl to the skin of rabbits caused skin irritation but no other changes were observed.

Repeated oral doses of Metsulfuron Methyl produced decreased body weight gain and decreased liver weights when compared to the control group. Long term administration caused body weight loss.

Animal testing indicates that Metsulfuron Methyl does not have carcinogenic, developmental, or reproductive effects.

There is a report indicating that Metsulfuron Methyl produced genetic damage in a mammalian cell culture test; however, other tests with Metsulfuron Methyl in bacterial and mammalian cell cultures and in animals did not produce genetic damage. The weight of evidence suggests that Metsulfuron Methyl does not cause genetic damage.

**CHLORSULFURON**

The effects in animals from repeated exposures by inhalation to Chlorsulfuron include decreased weight gain, reversible kidney and spleen effects, and bone marrow changes.

Repeated oral dosing caused decreased weight gain, and hematological and clinical chemical changes. Long-term dosing resulted in decreased body weight gain and slight hematological changes.

Not carcinogenic in mice and female rats; a slight increase in Leydig cell tumors was observed in male rats after lifetime exposure at high doses.

Animal testing indicates that Chlorsulfuron does not have reproductive effects. Developmental toxicity has been observed but only at maternally toxic dose levels.

Chlorsulfuron did not produce genetic damage in bacterial or mammalian cell cultures. It did not produce heritable genetic damage.

-----  
ECOLOGICAL INFORMATION  
-----

## # Ecotoxicological Information

## AQUATIC TOXICITY:

## METSULFURON METHYL

96 hour LC50 - Rainbow trout: &gt; 150 ppm.

96 hour LC50 - Bluegill sunfish: &gt; 150 ppm.

## AVIAN TOXICITY:

## METSULFURON METHYL

LD50 - Mallard Duck: &gt; 2510 mg/kg.

LC50 - Bobwhite Quail: &gt; 5620 mg/kg.

## AQUATIC TOXICITY:

## CHLORSULFURON

96 hour LC50 - Sheepshead minnow: &gt; 980 mg/L.

96 hour LC50 - Bluegill sunfish: &gt; 128 ppm.

96 hour LC50 - Rainbow trout: &gt; 122 ppm.

48 hour EC50 - Daphnia magna: &gt; 112 ppm.

## AVIAN TOXICITY:

## CHLORSULFURON

Acute Oral LD50 - Mallard Duck: &gt; 5000 mg/kg.

Acute Oral LD50 - Bobwhite Quail: &gt; 5000 mg/kg &gt; 112 ppm.

## AQUATIC TOXICITY

## CHLORSULFURON

120 hour EC50, Freshwater algae: 0.05 ppm.

## AVIAN TOXICITY

## CHLORSULFURON

Short term Dietary LC50 - Mallard Duck: &gt; 5000 ppm

Short term Dietary LC50 - Bobwhite Quail: &gt; 5620 ppm

-----  
DISPOSAL CONSIDERATIONS  
-----

## Waste Disposal

Do not contaminate water supply, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

## ENVIRONMENTAL HAZARDS:

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

## Container Disposal

CONTAINER REFILLING AND DISPOSAL: Refer to the product label for instructions.

**Du Pont**  
**Material Safety Data Sheet**

If the container is to be refilled, do not rinse with any material or introduce any pesticide other than this product. DO NOT REUSE THE CONTAINER FOR ANY OTHER PURPOSE. Do not transport if the container is damaged or leaking. Disposal of the container must be in compliance with state and local regulations.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

-----  
TRANSPORTATION INFORMATION  
-----

Shipping Information

DOT/IMO  
Proper Shipping Name : NOT REGULATED

-----  
REGULATORY INFORMATION  
-----

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : Yes  
Chronic : No  
Fire : No  
Reactivity : No  
Pressure : No

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 352-670

State Regulations (U.S.)

CALIFORNIA PROPOSITION 65:

THIS PRODUCT CONTAINS CHLORSULFURON, A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

-----  
OTHER INFORMATION  
-----



**Du Pont**  
**Material Safety Data Sheet**

## NFPA, NPCA-HMIS

NFPA Rating  
Health : 1  
Flammability : 1  
Reactivity : 0

NPCA-HMIS Rating  
Health : 1  
Flammability : 1  
Reactivity : 0

Personal Protection rating to be supplied by user depending on use conditions.

---

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: DuPont Crop Protection  
Address : Wilmington, DE 19898  
Telephone : 1-888-638-7668

# Indicates updated section.



ERROR: undefined  
OFFENDING COMMAND:  
  
STACK: