

Conforms to HazCom 2012/United States

SAFETY DATA SHEET

Renovate[®] 3

Herbicide

Section 1. Identification

| GHS product identifier | : Renovate [®] 3 Herbicide |
|---|--|
| Recommended use of the chemical and restrictions on use Identified uses | : Herbicide |
| Supplier's details | : SePRO Corporation 11550 North Meridian Street Suite 600 Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-580-8290 Monday - Friday, 8am to 5pm <u>E.S.T.</u> <u>www.sepro.com</u> |
| Emergency telephone number (with hours of | : INFOTRAC - 24-hour service 1-800-535-5053 |

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation and packaging of this product. For applications and/or use, consult the product label. The label directions supersede the text of this Safety Data Sheet for application and/or use.

Section 2. Hazards identification

Hazard classification

operation)

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Flammable liquids - Category 3 Eye irritation - Category 2A Specific target organ toxicity - repeated exposure - Category 2

Label elements Hazard pictograms



Signal word:

WARNING!



| Sepro | SDS | Renovate [®] 3 |
|---|--|-------------------------|
| Hazards | Flammable liquid and vapor. Causes serious eye irritation. May cause damage to organs (kidney) through prolonged or repeated expos | |
| Precautionary statements Prevention | Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. | |
| Response IF ON SKIN (or hair): IF IN EYES: In case of fire: | Take off immediately all contaminated clothing. Rinse skin with water/ showe Rinse cautiously with water for several minutes. Remove contact lenses, if put to do. Continue rinsing. Get medical attention if you feel unwell. If eye irritation persists: Get medical advice/ attention. Use dry sand, dry chemical or alcohol-resistant foam to extinguish. | |
| Storage | Store in a well-ventilated place. Keep cool. | |
| Disposal | Dispose of contents/ container to an approved waste disposal plant. | |
| Other hazards | No data available | |

Section 3. Composition/information on ingredients

This product is a mixture.

| Component | CASRN | Concentration |
|------------------------------|---------------|---------------|
| Triclopyr Triethylamine Salt | 57213-69-1 | 44.4% |
| Ethanol | 64-17-5 | 2.1% |
| Alkylphenol alkoxylate | 69029-39-6 | 1.0% |
| Balance | Not Available | 52.5% |

Section 4. First aid measures

Description of first aid measures

| General advice: | First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
|-----------------|--|
| Inhalation: | Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc.). Call a poison control center or doctor for treatment advice. |
| Skin contact: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |

| Sepro | SDS Renovate [®] 3 |
|--|---|
| Eye contact: | Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be immediately available. |
| Ingestion: | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed: | Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information. |
| Indication of any immediate | medical attention and special treatment needed |
| Notes to physician: | No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment. |
| | |

Section 5. Fire-fighting measures

Suitable extinguishing media: To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Straight or direct water streams may not be effective to extinguish fire. General purpose synthetic foams (including AFFF type) or protein foams are preferred if available. Alcohol resistant foams (ATC type) may function.

| Unsuitable extinguishing media: | No data available |
|--|--|
| Special hazards arising from | the substance or mixture |
| Hazardous combustion products: | Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide. |
| Unusual Fire and Explosion Hazards: | This material will not burn until the water has evaporated. Residue can burn. May produce flash fire. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flash back may occur. If exposed to fire from another source and water is evaporated, exposure to high temperatures may cause toxic fumes. |
| Advice for firefighters | |
| Fire Fighting Procedures: | Keep people away. Isolate fire and deny unnecessary entry. Stay upwind. Keep out of low areas where gases (fumes) can accumulate. Eliminate ignition sources. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause |



SDS

environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this SDS.

Special protective equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Section 6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures: | Evacuate area. Keep unnecessary and unprotected personnel from entering the area. Keep personnel out of low areas. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapor explosion hazard. Keep out of sewers. Refer to section 7, Handling, for additional precautionary measures. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or released vapor to avoid fire or explosion. Ground and bond all containers and handling equipment. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. |
|--|--|
| Environmental precautions: | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. |
| Methods and materials for containment and cleaning up: | Contain spilled material if possible. Pump with explosion-proof equipment. If available, use foam to smother or suppress. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact SePRO Corporation for clean-up assistance. See Section 13, Disposal Considerations, for additional |

Section 7. Handling and storage

information.

Precautions for safe handling: Keep away from heat, sparks and flame. Keep out of reach of children. No smoking, open flames or sources of ignition in handling and storage area. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapor or mist. Do not swallow. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. Electrically ground and bond all equipment. Vapors are heavier than air and may travel a long distance and accumulate in low lying areas. Ignition and/or flashback may occur. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies. Minimize sources of ignition, such as static build-up, heat, spark or flame.

Section 8. Exposure controls/personal protection

Control parameters

| Component | Regulation | Typle of listing | Value/Notation |
|------------------------------|------------|------------------|-----------------------------------|
| Triclopyr Triethylamine Salt | Dow IHG | TWA | 2 mg/m3 |
| | Dow IHG | TWA | SKIN, DSEN, BEI |
| Ethanol | ACGIH | STEL | 1,000 ppm |
| | OSHA Z-1 | TWA | 1,900 mg/m ³ 1,000 ppm |
| Alkylphenol alkoxylate | Dow IHG | TWA | 2 mg/m ³ |

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls

Engineering controls:

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: Use chemical goggles. **Skin protection**

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl "). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other protection: Wear clean, body-covering clothing.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Section 9. Physical and chemical properties

Appearance Physical State Color Odor

Odor Odor Threshold Liquid Pink Ammoniacal No test data available Page **5** of **11**

®: Renovate is a registered trademark of Dow Agrosciences LLC.

Sepro

9.5 10% pH Electrode pН Not applicable Melting point/range Freezing point No test data available Boiling point (760 mmHg) No test data available Flash point Closed cup > 43 °C (>109 °F) Setaflash Closed Cup ASTM D3828 No test data available Evaporation Rate (Butyl Acetate =1) Flammability (solid, gas) Not data available Lower explosion limit No test data available Upper lower explosion limit No test data available Vapor pressure Not applicable Relative Vapor Density (air = 1) Not applicable Relative Density (water = 1) 1.1385 at 20 °C (68 °F) Digital Density Meter (Oscillating Coil) Water solubility Soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No test data available **Decomposition temperature** No test data available **Dynamic Viscosity** 12.5 mPa.s at 25 °C (77 °F) **Kinematic Viscosity** No test data available **Explosive properties** No Thermal **Oxidizing properties** No Liquid Density 1.1385 g/cm3 at 20 °C (68 °F) Digital density meter Molecular weight No data available 38.5 mN/m at 20 °C (68 °F) EC Method A5 Surface tension

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Section 10. Stability and reactivity

| Reactivity: | No dangerous reaction known under conditions of use. |
|-------------------------------------|--|
| Chemical stability: | Thermally stable at recommended temperatures and pressures. |
| Possibility of hazardous reactions: | Polymerization will not occur. |
| Conditions to avoid: | Active ingredient decomposes at elevated temperatures. |
| Incompatible materials: | Avoid contact with: Oxidizers |
| Hazardous decomposition products: | Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Nitrogen oxides. |

Section 11. Toxicological information

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. As product: LD50, Rat, female, 4100 mg/kg

Renovate[®] 3

| Sepro | SDS Renovate [®] 3 |
|---|--|
| Acute dermal toxicity | Prolonged skin contact is unlikely to result in absorption of harmful amounts. As product: LD50, Rabbit, male and female, > 5,000 mg/kg |
| Acute inhalation toxicity | No adverse effects are anticipated from single exposure to mist. Excessive exposure may cause irritation to upper respiratory tract (nose and throat). As product: LC50, Rat, male and female, 4 Hour, Mist, > 5.4 mg/l Maximum attainable concentration. No deaths occurred at this concentration. |
| Skin corrosion/irritation | Brief contact is essentially nonirritating to skin. |
| Serious eye damage/ eye irritation | May cause moderate eye irritation. May cause moderate corneal injury. |
| Sensitization | Did not demonstrate the potential for contact allergy in mice. For respiratory sensitization: No relevant data found. |
| Specific Target Organ Systemic Toxicity (Single Exposure) | Evaluation of available data suggests that this material is not an STOT-SE toxicant. |
| Specific Target Organ Systemic Toxicity (Repeated Exposure) | For the active ingredient(s): In animals, effects have been reported on the following organs: Kidney. |
| | For the minor component(s): In animals, effects have been reported on the following organs: Kidney. Liver. |
| Carcinogenicity | For similar active ingredient(s). Triclopyr. Did not cause cancer in laboratory animals. |
| Teratogenicity | For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals. |
| | For the minor component(s): Has caused birth defects in lab animals at high doses. |
| Reproductive toxicity | For similar active ingredient(s). Triclopyr. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to <i>the</i> parent animals. |
| Mutagenicity | In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative. |
| Aspiration Hazard | Based on physical properties, not likely to be an aspiration hazard. |

Section 12. Ecological information

Ecotoxicological information appears in this section when such data is available.

Toxicity

Acute toxicity to fish

Based on information for a similar material:

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1.0 mg/L in the most sensitive species tested)

| Sepre |
|-------|
|-------|

SDS

Renovate[®] 3

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 400 mg/L

LC50, Lepomis macrochirus (Bluegill sunfish), semi-static test, 96 Hour, > 100 mg/L

Acute toxicity to aquatic
InvertebratesEC50, eastern oyster (Crassostrea virginica), static test, 48 Hour, 56 - 87 mg/L
LC50, Daphnia magna (Water flea), static test, 48 Hour, > 1,000 mg/L

Acute toxicity to algae/ aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), 72hr Growth rate inhibition, 107 mg/L

ErC50, blue-green alga Anabaena flos-aquae, 72 Hour, Growth inhibition, > 100 mg/L

EC50, Lemna gibba, 7 d, Growth inhibition, > 100 mg/L

Based on information for a similar material ErC50, *Myriophyllum spicaturn*, 14 day, 0.241 mg/L

Based on information for a similar material NOEC, *Myriophyllum spicaturn*, 14 day, 0.0191 mg/L

Persistence and degradability

| <u>Tric</u> | <u>:lopyr Triethylamine Salt</u> Biodegradability: | For similar active ingredient(s). Triclopyr. Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%). For similar active ingredient(s). Triclopyr. Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions. |
|-------------|---|---|
| <u>Eth</u> | anol | |
| | Biodegradability: | Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. 10-day Window: Pass |
| | Biodegradation: Exposure time: | > 70% 5 d |
| | Method: | OECD Test Guideline 3010 or Equivalent |
| | Theoretical Oxygen | |
| | Demand: | 2.08 mg/mg |
| | Photodegradation | Test Type: Half-life (indirect photolysis) Sensitizer: OH radicals Atmospheric half-life: 2.99 d Method: Estimated. |
| <u>Alk</u> | ylphenol alkoxylate Biodegradability: | Biodegradation under aerobic laboratory conditions is below detectable limits (80020 or $80028/ThOD < 2.5\%$). |
| | Theoretical Oxygen Demand: | 2.35 mg/mg |
| | Chemical Oxygen Demand: | 1.78 mg/mg |
| Balance | | |
| | Biodegradability: | No relevant data found. Page 8 of 11 |
| ~ P | | |

®: Renovate is a registered trademark of Dow Agrosciences LLC.



Bioaccumulative potential

| Triclopyr Triethylamine Salt Bioaccumulation: | For similar active ingredient(s). Bioconcentration potential is low (BCF < 100 or Log Pow <3). |
|--|---|
| Ethanol Bioaccumulation: Partition Coefficient | Bioaccumulation is unlikely. Bioconcentration potential is low (BCF < 100 or Log Pow <3). n-octanol/water(log Pow) = -0.31 measured. |
| Alkylphenol alkoxylate Bioaccumulation: | No bioconcentration is expected because of the relatively high water solubility. May foam in water. |
| Balance Bioaccumulation: | No relevant data found. |
| Mobility in soil | |
| Triclopyr Triethylamine Salt | For similar active ingredient(s). Potential for mobility in soil is very high (Koc between 0 and 50). |
| <u>Ethanol</u> | Potential for mobility in soil is very high (Koc between 0 and 50). Partition coefficient(Koc): 1.0 Estimated. |
| Alkylphenol alkoxylate | No data available. |
| <u>Balance</u> | No relevant data found. |

Section 13. Disposal considerations

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Section 14. Transport information

DOT

Proper shipping name
UN NumberCombustible liquid, n.o.s. (Triethylamine, Ethanol)UN Number
ClassNA 1993ClassCBLPacking GroupIII

Classification for SEA transport (IMO-IMDG): Proper shipping name FLAMMABLE LIQUID, N.O.S. (Triethylamine, Ethanol) UN number UN 1993 Class 3



| Packing group | |
|--|--|
| Marine pollutant | No |
| Transport in bulk | Consult IMO regulations before transporting ocean bulk |
| according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code | |

Classification for AIR transport (IATAJICAO):

Proper shipping name
UN numberFlammable liquid, n.o.s.(Triethylamine, Ethanol)
UN 1993Class3Packing groupIII

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15. Regulatory information

| OSHA Hazard Communicatio Standard | | hemical" as defined by the OSHA Hazard Communication |
|--|---|---|
| Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Kno Act of 1986) Sections 311 and 312 | | |
| Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Kno Act of 1986) Section 313 | | CASRN 57213-69-1 |
| Pennsylvania (Worker and Community Right-To-Know Act): | | ted because of the additional requirements of Pennsylvania CASRN 64-1 7-5 |
| California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) | • | substances known to the State of California to cause cancer, ive harm, at levels which would require a warning under the |



| United States TSCA Inventor (TSCA) | Y This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements. |
|--|--|
| Federal Insecticide, Fungicide and Rodenticide Act | EPA Registration Number: 62719-37-67690 This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: DANGER Corrosive Causes irreversible eye damage Harmful if swallowed or absorbed through skin Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. |
| | · · · · · · · · · · · · · · · · · · · |

Section 16. Other information

Hazard Rating System NFPA

| Health: 3 Fire: | 2 Reactivity: 0 | | | |
|--------------------------------------|--|--|--|--|
| Legend | | | | |
| ACGIH | USA. ACGIH Threshold Limit Values (TLV) | | | |
| DOW IHG | Dow Industrial Hygiene Guideline | | | |
| OSHA Z-1 | USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants | | | |
| SKIN, SDEN, BEI | Absorbed via Skin, Skin Sensitizer, Biological Exposure Indice | | | |
| STEL | Short-term exposure limit | | | |
| TWA | 8-hour, time-weighted average | | | |
| History | | | | |
| Date of issue mm/dd/yyyy: 04/20/2016 | | | | |

3

Notice to reader

Sections updated:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.