

Safety Data Sheet

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Iron Reagent #1

Other means of identification

Product Code(s) 4450 UN-No2796

Recommended use of the chemical and restrictions on use

Recommended Use Use as a laboratory reagent. Laboratory chemicals. Industrial (not for food or food contact

use).

Details of the supplier of the safety data sheet

Manufacturer Address LaMotte Company, Inc. 802 Washington Avenue

P.O. Box 329

Chestertown, MD 21620 USA

T 410-778-3100 F 410-778-9748

Emergency telephone number

24 Hour Emergency Number (CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

EMERGENCY OVERVIEW

DANGER

Hazard statements

Causes severe skin burns and eye damage.



Appearance Clear, colorless

Physical state liquid

Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before

reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED. Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Sulfuric acid	7664-93-9	4.8

4. FIRST AID MEASURES

First Aid Measures

General advice Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Take off

contaminated clothing and wash before reuse. Call a physician immediately.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Call a physician immediately. Never give

anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Use personal protection

recommended in Section 8.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical or CO₂. DO NOT USE WATER.

Specific hazards arising from the chemical

React vigorously with water.

Hazardous combustion products

Contact with metals may evolve flammable hydrogen gas.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes, and inhalation of vapors. Use

personal protective equipment. See section 8.

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for cleaning up

Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent

splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away

traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent contact with

skin, eyes, and clothing. Do not taste or swallow. Do not eat, drink, or smoke when using

this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.

Incompatible Products Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	IDLH: 15 mg/m ³
7664-93-9	•	-	TWA: 1 mg/m ³

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves/clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance Clear, colorless Odor Odorless

Property Values Remarks • Method

pH 1 No information available

Melting point / freezing point No information available

Boiling point / boiling range

Flash point

No information available No information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available No information available Vapor pressure Vapor density No information available Specific gravity No information available Water solubility No information available Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available

Other Information

Oxidizing properties

Softening point Molecular weight **VOC Content (%) Density Bulk density**

No information available No information available No information available No information available No information available

No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use and storage.

Hazardous Reactions Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.

Hazardous polymerization does not occur. Hazardous polymerization

Conditions to avoid Excessive heat. Incompatible products. Direct sunlight.

Incompatible materials Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

Hazardous decomposition products Hydrogen gas. Sulfur oxides (SOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component Information

Component information					
Chemical name		Oral LD50	Dermal LD50	Inhalation LC50	
	Sulfuric acid	= 2140 mg/kg (Rat)	Not Established	= 510 mg/m ³ (Rat) 2 h	
	7664-93-9			- · · · ·	

Information on toxicological effects

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid	A2	Group 1	Known	X
7664-93-9		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Chronic toxicity

Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

ATEmix (oral) 44583

12. ECOLOGICAL INFORMATION

Ecotoxicity

L	Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Γ	Sulfuric acid 7664-93-9	Not Established	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L FC50
L	7664-93-9		LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid	Not Established
7664-93-9	

13. DISPOSAL CONSIDERATIONS

Disposal Methods Dispose according to federal, state, and local regulations. If permitted, neutralize reagent

with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute,

rinse to drain with excess water.

Contaminated packaging Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sulfuric acid 7664-93-9	Not Established	-	Not Established	Not Established
		•		

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sulfuric acid 7664-93-9	-

14. TRANSPORT INFORMATION

DOT

Proper shipping name SULPHURIC ACID

UN-No 2796
Hazard Class 8
Packing group II
Reportable Quantity (RQ) 1000

<u>IATA</u>

Proper shipping name SULPHURIC ACID

UN-No 2796 Hazard Class 8 Packing group II

IMDG/IMO

Proper shipping name SULPHURIC ACID

UN-No 2796 Hazard Class 8 Packing group II

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid 7664-93-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes

Chronic Health Hazard

Fire hazard

Sudden release of pressure hazard

No
Reactive Hazard

Yes

No
Yes

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	Not Established	Not Established	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ

US State Regulations

California Proposition 65

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to "inorganic mists containing sulfuric acid" and not to sulfuric acid or sulfuric acid solutions

Chemical name	California Proposition 65	
Sulfuric acid	Carcinogen	
7664-93-9		

U.S. State Right-to-Know Regulations


Chemical na	me Ne	w Jersey	Massachusetts	Pennsylvania
Sulfuric aci	d	Χ	X	X
7664-93-9)			

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

Chemical name	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances	
Sulfuric acid 7664-93-9	Add POISON to label, 16 CFR 1500.129 (>=10%, free or chemically unneutralized)	
16 OTHER INFORMATION		

TOT OTTIER INTO ORALLIA CITALIA

NFPA Health hazard 3 Flammability 0 Instability 0 Physical and Chemical Hazards W
Health hazard 3 Flammability 0 Stability 1



Prepared by Regulatory Affairs Department

Issuing Date Mar-23-2015 **Revision Date** Nov-10-2015

Reason for revision (M)SDS sections updated 13

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet