

BRIGHT DYES™ MATERIAL SAFETY DATA SHEET
FWT RED™ 200 LIQUID
PAGE 1 OF 3

MSDS PREPARATION INFORMATION

PREPARED BY: T. P. MULDOON
(937) 886-9100
DATE PREPARED: 1/1/05

PRODUCT INFORMATION

MAUFACTURED BY: KINGSCOTE CHEMICALS
3334 S. TECH BLVD.
MIAMISBURG, OHIO 45342

CHEMICAL NAME NOT APPLICABLE
CHEMICAL FORMULA NOT APPLICABLE
CHEMICAL FAMILY XANTHENE DYE FORM

HAZARDOUS INGREDIENTS

DESCRIPTION	%	T.L.V.	C.A.S. #
TRIMELLITIC ACID	~5.0	NONE	528-44-9
	<u>LD/50. SPECIES</u>		<u>LC/50. SPECIES</u>
ORAL (MOUSE)	2500 MG/KG		NONE AVAILABLE
DERMAL (RABBIT)	NOT AVAILABLE		NOT AVAILABLE

PHYSICAL DATA

PHYSICAL STATE LIQUID
ODOR AND APPEARANCE DARK RED LIQUID WITH MILD ODOR
SPECIFIC GRAVITY ~1.15
VAPOR DENSITY (mm Hg @ 25 ° C) NOT APPLICABLE
VAPOR DENSITY (AIR =1) NOT APPLICABLE
EVAPORATION RATE (Butyl Acetate = 1) NOT APPLICABLE
BOILING POINT ~ 100 degrees. C (212 degrees. F)
FREEZING POINT ~ 10 degrees C (14 degrees F)
pH 10.4 TO 10.8
SOLUBILITY IN WATER VERY SOLUBLE

FIRE HAZARD

CONDITION OF FLAMMABILITY NON-FLAMABLE
MEANS OF EXTINCTION WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, WEAR
SCBA
FLASH POINT AND METHOD NOT APPLICABLE
UPPER FLAMABLE LIMIT NOT APPLICABLE
LOWER FLAMABLE LIMIT NOT APPLICABLE
AUTO-IGNITION TEMPERATURE NOT APPLICABLE
HAZARDOUS COMBUSTION PRODUCTS BURNING MAY PRODUCE OXIDES OF CARBON & NITROGEN
UNUSUAL FIRE HAZARD NOT APPLICABLE

BRIGHT DYES™ MATERIAL SAFETY DATA SHEET

FWT RED™ 200 LIQUID

PAGE 2 OF 3

EXPLOSION HAZARD

SENSITIVITY TO STATIC DISCHARGE NOT APPLICABLE
SENSITIVITY TO MECHANICAL IMPACT NOT APPLICABLE

REACTIVITY DATA

PRODUCT STABILITY STABLE
PRODUCT INCOMPATIBILITY DO NOT MIX WITH ACIDS
CONDITIONS OF REACTIVITY NOT APPLICABLE
HAZARDOUS DECOMPOSITION PRODUCTS SEE HAZARDOUS COMBUSTION PRODUCTS

TOXICOLOGICAL PROPERTIES

SYMPTOMS OF OVER EXPOSURE FOR EACH POTENTIAL ROUTE OF ENTRY:

INHALLATION, ACUTE TRIMELLITIC ACID MAY CAUSE IRRITATION
INHALATION, CHRONIC NOT KNOWN
SKIN CONTACT MAY BE IRRITATING TO THE SKIN. WILL CAUSE
TEMPORARY STAINING OF THE SKIN ON CONTACT.
EYE CONTACT MAY CAUSE IRRITATION
INGESTION URINE MAY BE A RED COLOR UNTIL THE DYE HAS BEEN
WASHED THROUGH THE SYSTEM.
EFFECTS OF ACUTE EXPOSURE DIRECT CONTACT MAY CAUSE IRRITATION TO THE EYES,
SKIN, AND RESPIRATORY TRACT.
EFFECTS OF CHRONIC EXPOSURE NOT KNOWN
THRESHOLD OF LIMIT VALUE NOT APPLICABLE
CARCINOGENICITY NOT LISTED AS A KNOWN OR SUSPECTED CARCINOGEN BY
IARC, NTP OR OSHA.
TERATOGENICITY NONE KNOWN
MUTAGENICITY CONFLICTING EVIDENCE AS TO MUTAGENICITY OF THE
DYE CONTAINED IN THIS PRODUCT.
TOXICOLOGY SYNERGISTIC PRODUCTS NONE KNOWN

PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

GLOVES RUBBER
RESPIRATORY NONE REQUIRED UNDER NORMAL CONDITIONS
EYE PROTECTION GOGGLES
CLOTHING PROTECTIVE CLOTHING SHOULD BE WORN WHERE
CONTACT IS UNAVOIDABLE.
OTHER HAVE ACCESS TO EMERGENCY EYEWASH.

BRIGHT DYES™ MATERIAL SAFETY DATA SHEET
FWT RED™ 200 LIQUID
PAGE 3 OF 3

PREVENTATIVE MEASURES (CONT.)

ENGINEERING CONTROLS	NOT NECESSARY UNDER NORMAL CONDITIONS, USE LOCAL VENTILATION IF DUSTY CONDITIONS EXIST.
SPILL OR LEAK RESPONSE	CONTAIN AND CLEAN UP SPILL IMMEDIATELY, PREVENT FROM ENTERING FLOOR DRAINS. SWEEP POWDERS AND PLACE IN WASTE DISPOSAL CONTAINER, FLUSH AFFECTED AREA WITH WATER.
WASTE DISPOSAL	INCINERATE OR REMOVE TO A SUITABLE SOLID WASTE DISPOSAL SITE, DISPOSE OF ALL WASTES IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
HANDELING PROCEDURES AND EQUIPMENT	NO SPECIAL REQUIREMENTS.
STORAGE REQUIREMENTS	STORE AT ROOM TEMPERATURE BUT ABOVE THE FREEZING POINT OF WATER
SHIPPING INFORMATION	KEEP FROM FREEZING

FIRST AID MEASURES

FIRST AID EMERGENCY PROCEDURES

EYE CONTACT	FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
SKIN CONTACT	WASH SKIN THOROUGHLY WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS.
INHALATION	IF DUST IS INHALED, MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT GIVE OXYGEN AND GET IMMEDIATE MEDICAL ATTENTION.
INGESTION	DRINK PLENTY OF WATER AND INDUCE VOMITING. GET MEDICAL ATTENTION IF LARGE QUANTITIES WERE INGESTED OR IF NAUSEA OCCURS. NEVER GIVE FLUIDS OR INDUCE VOMITING IF THE PERSON IS UNCONSCIOUS OR HAS CONVULSIONS.

SPECIAL NOTICE

ALL INFORMATION, RECOMMENDATIONS AND SUGGESTIONS APPEARING HEREIN CONCERNING THIS PRODUCT ARE BASED UPON DATA OBTAINED FROM MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES; HOWEVER, KINGSCOTE CHEMICALS MAKES NO WARRANTY, REPRESENTATION OR GUARANTEE AS TO THE ACCURACY, SUFFICIENCY OR COMPLETENESS OF THE MATERIAL SET FORTH HEREIN. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY AND SUITABILITY OF HIS OWN USE, HANDLING, AND DISPOSAL OF THE PRODUCT. ADDITIONAL PRODUCT LITERATURE MAY BE AVAILABLE UPON REQUEST. SINCE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE BY KINGSCOTE CHEMICALS AS TO THE EFFECTS OF SUCH USE, THE RESULTS TO BE OBTAINED OR THE SAFETY AND TOXICITY OF THE PRODUCT, NOR DOES KINGSCOTE CHEMICALS ASSUME ANY LIABILITY ARISING OUT OF USE BY OTHERS OF THE PRODUCT REFERRED TO HEREIN. THE DATA IN THE MSDS RELATES ONLY TO SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

END OF MATERIAL SAFETY DATA SHEET
