

43% Glyphosate

PLUS WEED PREVENTER

TOTAL VEGETATION CONTROL

KILLS WEEDS & PREVENTS WEEDS UP TO 1 YEAR

Use On Fencerows And Around Farm Buildings And Barns Do Not Apply Over The Root Systems Of Desirable Plants Treats 4.324 Square Feet

Use On Non-Crop Areas:

Roadsides, Curbs, Sidewalks, Driveways, Parking Areas, Brick Walks, Gravel Paths, Vacant Lots, Warehouse Areas, Agricultural Uncultivated Areas, Farm Yards, Farm Premises, And For Establishment And Maintenance Of Wildlife Openings.

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	43.68%
Imazapyr, isopropylamine salt**	0.78%
OTHER INGREDIENTS:	55.54%
TOTAL:	100.00%

ACID EQUIVALENT:

- * Glyphosate, isopropylamine salt......3.158 lbs/gal
- **Imazapyr, isopropylamine salt......0.062 lbs/gal

NET CONTENTS: 1 QT / 32 FL OZ / 946 ML

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Inside Booklet for Complete Precautionary
Statements, Directions for Use & Storage and Disposal,

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424–9300

For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 35935-94-84009 EPA EST. NO. 084840-LA-001

(RV102212N) 1012/1013(02)



RM43™ is a trademark of Tangi•Pac, LLC. Distributed by:

Ragan & Massey, Inc.

101 Ponchatoula Parkway, Ponchatoula, LA 70454 (800) 264-5281 or info@raganandmassey.com

RM43™ 43% GLYPHOSATE PLUS WEED PREVENTER

KEEP OUT OF REACH OF CHILDREN DANGER – PELIGRO

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

ontosive. Gauses irreversible eye damaye. Harrinurii Swanowed. Do not get iir eyes or on ciot	
FIRST AID	
Hold eve open and rinse slowly and gently with water for 15 to 20 minutes.	

IF IN EYES

- · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.

SWALLOWED | • Do not induce vomiting unless told to by a poison control center or doctor. . Do not give anything to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA Reg. No. 35935-94-84009

EPA Est. No. 084840-I A-001

See Attached Booklet for Complete Precautionary Statements, Directions for Use & Storage and Disposal.

Distributed by:

Ragan & Massey, Inc.

101 Ponchatoula Parkway • Ponchatoula, LA 70454 (800) 264-5281 • info@raganandmassey.com

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are natural rubber > 14 mils. If you want more options, follow the instructions for category A on an EPA chemicalresistance selection chart.

Mixers, loaders, applicators, and other handlers must wear:

- . Long-sleeve shirt and long pants,
- · Shoes plus socks,
- Chemical resistant gloves for all mixers and loaders, plus applicators using handheld equipment,
- · Protective eyewear (goggles, face shield, or safety glasses).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly
 and put on clean clothing.
- · Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 micros or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on non-crops areas: Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel paths, Vacant lots, Warehouse areas, Fencerows, Around farm buildings and barns, Agricultural uncultivated areas, Farm yards, Farm premises, and for establishment and maintenance of wildlife openings.

Apply to locations only where no vegetation growth is desired for up to one year.

WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than six inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- · Apply on a sunny day with temperatures above 60°F.
- . Do not apply to or allow product to drift onto desirable plants.
- · Only apply to areas where no vegetation is desired for one year.
- Avoid product runoff to nearby desirable plants.
- · Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the root systems of desirable plants. For trees and shrubs do not apply
 closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future
 planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this
 product remains active in soil for up to one year.
- . In soils with heavy clay, weed control may exceed one year.
- . Do not use on desirable turf.
- · Do not apply when wind speeds are greater than 10 mph.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface should be settled by rain or irrigation.

HOW TO APPLY

Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer. Uniformly spray the mix over areas where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1.000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 oz. of product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- · Apply to actively growing brush, vines and weeds.
- · Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.
- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled Lists GRASS/NUTSEDGE WEED SPECIES CONTROLLED

Bahiagrass

Paspalum notatum Bentarass

Agrostis spp.
Bermudagrass

Cynodon dactylon

Bluegrass, Kentucky

Brome Bromus spp.

Bromegrass, smooth

Bromus inermis
Canarygrass, reed

Phalaris arundinacea
Cattail

Cogongrass Imperata cylindrical

Dallisgrass
Paspalum dilatatum

Fescues Festuca spp.

Tvpha spp.

Fescue, tall

Guineagrass

Panicum maximum
Johnsongrass

Sorghum halepense Kikuvuqrass

Pennisetum clandestinum

Knotgrass *Paspalum distichum*

Muhly, wirestem Muhlenbergia frondonsa

Napier grass Pennisetum purpureum

Nutsedge; purple, yellow Cyperus rotundus Cyperus esculentus

Orchardgrass

Dactvlis alomerata

Pampas grass Cortaderia spp.

Panicum Panicum spp. Para grass

Brachiaria mutica
Phragmites*

Phragmites spp.

Quackgrass

Agropyron repens
Reed. giant

Arundo donax Rvegrass, perennial

Lolium perenne

Timothy Phleum pratense

Torpedograss*
Panicum repens

Vaseygrass Paspalum urvillei

Velvetgrass Holcus spp.

Wheatgrass, western Agropyron smithii

^{*}Partial Control

BROADLEAF WEED SPECIES CONTROLLED

Alfalfa

Medicago sativa

Alligatorweed*

Alternanthera philoxeroides

Anise (fennel)
Foeniculum vulgare

Artichoke, Jerusalem Helianthus tuberosus

Bassia, fivehook Bassia hyssopifolia

Bindweed, field

Blueweed, Texas

Helianthus ciliaris Bracken fern

Pteridium aquilinum

Bursage, woollyleaf

Clover, red Trifolium pretense

Clover, white Trifolium repens

Dandelion

Taraxacum officinale

Dock, curly Rumex crispus

Dogbane, hemp Anocynum cannabinum

Fiddleneck

Amsinckia spp.

Fleabane Erigeron spp.

Fleabane, hairy
Convza bonariensis

Horsenettle

Horseradish Armoracia rusticana

Ice plant

Mesembryanthemum crystallinum

Knapweed Centaurea renens

Kochia Kochia scoparia

Lantana Lantana camara

Lespedeza Lespedeza spp. Lettuce, prickly Lactuca serriola

Milkweed Asclepias spp.

Mullein, common Verbascum thapsus

Nightshade, silverleaf Solanum elaeagnifolium

Poison hemlock

Ragweed, common

Ragweed, giant

Smartweed, Pennsylvania Polygonum pensylvanicum

Smartweed, swamp Polygonum coccineum

Sowthistle, annual Sonchus oleraceus

Spurge, leafy* Euphorbia esula

Starthistle, yellow Centaurea solstitalis

^{*}Partial Control

BROADLEAF WEED SPECIES CONTROLLED (continued)

Sunflower Thistle, Canada Helianthus annuus

Cirsium arvense

Velvetleaf

Abutilon theophrasti

Thistle, artichoke Thistle, Russian Cvnara cardunculus Salsola kali

TREE, BRUSH AND VINE SPECIES CONTROLLED

Bracken Δlder Cherry:

Peridium spp. Alnus spp. Ritter Broom: Ash Prunus emarginata

Fraxinum spp. French Black

Cvtisus monspessulanus Aspen, quaking Prunus serotina Populus tremuloides

Scotch Pin Balsam apple* Cytisus scoparius Prunus pensylvanica

Momordica charantia Buckwheat, California* Covote brush

Bearmat (Bearclover) Eriogonum fasciculatum Baccharis consanguinea Chamaebatia foliolosa

Cascara* Creeper, Virginia* Reech Rhamnus purshiana Parthenocissus quinquefolia

Fagus grandifolia Catsclaw* Dewberry Birch Acacia greggi Ruhus trivialis Betula spp. Ceanothus* Dogwood

Blackberry Ceanothus spp. Cornus spp. Rubus spp. Chamise Elderberry Blackgum

Adenostoma fasciculatum Sambucus spp. Nvssa spp. Flm* Ulmus spp.

^{*}Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED (continued)

Eucalyptus

Eucalyptus spp.

Gorse Ulex europaeus

Hasardia*

Haplopappus squamosus

Hawthorn Crataeaus spp.

Натеі

Corvlus spp.

Hickory* Carva spp.

Holly, Florida/ Brazillian Peppertree* Schinus terebinthifolius

Honevsuckle

Lonicera spp.

Hornbean, American* Carpinus caroliniana

Kudzu

Pueraria Inhata

Locust, black*

Robinia pseudoacacia

*Partial control

**This product is not registered in California for use on Russian olive.

Madrone

Arutus menziesii

Manzanita Arctostaphylos spp.

Maple: Red**

> Acer ruhrum Sugar

Acer saccharum

Vine Acer circinatum

Monkey Flower* Mimulus auttatus

Nak:

Black* Ouercus velutina

Northern Pin Quercus palustris

Pnet

Quercus stellate Red

Quercus rubra

Southern Red Quercus falcate Russian olive**

White*

Persimmon*

Pinus spp.

Poison Ivv

Pnisnn Nak

Raspberry

Rubus spp.

Redvine*

Rhus radicans

Poplar, yellow*

Redbud, eastern

Brunnichia ovate

Rose, multiflora

Rosa multiflora

Cercis canadensis

Rhus toxicodendron

Liriodendron tulipfera

Pine

Diospyros spp.

Quercus alba

Elaeagnus angustifolia

Sage: black, white

Salvia spp.

TREE, BRUSH AND VINE SPECIES CONTROLLED (continued)

Sagebrush, California Artemisia californica

Salmonberry Rubus spectabilis

Salt cedar
Tamarixs spp.

Sassafras

Sourwood

Oxydendrum arboreum

Sweet Potato Wild Ipomoea pandurata <u>SIES CUNTKULLED (CONTINUEA)</u> Sumac:

Poison*

Rhus vernix
Smooth*

Rhus glabra
Winged*
Rhus Copallina

Sweetgum Liquidambar styraciflua

Swordfern*
Polystichum munitum

Tallowtree, Chinese

Tan Oak

Lithocarpus densiflorus Thimbleberry

Rubus parviflorus
Tobacco, tree*

Nicotiana glauca
Trumpetcreeper*
Campsis radicans
Waxmyrtle, southern*

Myrica cerifera
Willow
Salix SDD.

^{*}Partial control

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable containers smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. **Triple** rinse as **follows**: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD. INCLUDING. BUT NOT LIMITED TO MERCHANTABILITY. FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, LININTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS LISED IN COMBINATION WITH THE GOODS OR THE MANNER OF USE OR APPLICATION INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL. INCIDENTAL. OR CONSEQUENTIAL DAMAGES. OR FOR DAMAGES IN THEIR NATURE PENALTIES.RELATING TO THE GOODS SOLD. INCLUDING USE. APPLICATION. HANDLING, AND DISPOSAL, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER. IF ANY OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER. RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, ALL SUCH RISKS SHALL BE ASSUMED. BY THE BUYER, USER, OR ITS CUSTOMERS, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S OR USER'S EXCLUSIVE REMEDY. AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

RM43™ 43% GLYPHOSATE PLUS WEED PREVENTER

KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Corrosive, Causes irreversible eve damage, Harmful if swallowed. Do not get in eves or on clothing.

FIRST AID

IF IN FYFS

- Hold eve open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.
- . Call a poison control center or doctor for treatment advice.

- Call a poison control center or doctor immediately for treatment advice.
- . Have person sip a glass of water if able to swallow.
- **SWALLOWED** Do not induce vomiting unless told to by a poison control center or doctor.
 - · Do not give anything to an unconscious person.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA Reg. No. 35935-94-84009

EPA Est. No. 084840-LA-001

See Attached Booklet for Complete Precautionary Statements, Directions for Use & Storage and Disposal.

Distributed by:

Ragan & Massey, Inc.

101 Ponchatoula Parkway • Ponchatoula, LA 70454 (800) 264-5281 • info@raganandmassey.com

