Lovibond® Water Testing

Tintometer® Group



Safety Data Sheet acc. to OSHA HCS (HazCom 2012)

Printing date 10/11/2021 Reviewed on 10/11/2021

1 Identification

- · Product identifier
- · Trade name: Copper No.2
- · Catalogue number: 00513561, 513560BT, 4513560BT, 513561BT, 4513561BT, 00513569BT
- · Application of the substance / the mixture: Reagent for water analysis
- · Manufacturer/Supplier:

Tintometer Inc. 6456 Parkland Drive Sarasota, FL 34243 USA

phone: (941) 756-6410 fax: (941) 727-9654 www.lovibond.us Made in Germany

· Emergency telephone number: + 1 866 928 0789 (English, French, Spanish)

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified as hazardous.
- · Label elements
- · GHS label elements none
- · Hazard pictograms none
- Signal word none
- · Hazard statements none
- · Other hazards No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of organic and inorganic compounds
- · Composition and Information on Ingredients:

Percent ranges are used due to the confidential product information.

CAS: 7775-14-6	sodium dithionite	♦ Self-heat. 1, H251; ♦ Acute Tox. 4, H302	5–10%
EINECS: 231-890-0			
Index number: 016-028-00-1			

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately rinse with plenty of water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes (at least 15 min) under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink 1-2 glasses of water.

Seek medical treatment in case of complaints.

· Most important symptoms and effects, both acute and delayed

after inhalation:

mucosal irritations, cough, breathing difficulty

(Contd. on page 2)

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 1)

after swallowing:

thirst

sickness

vomiting

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

Can burn in fire.

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

nitrous gases

Nitrogen oxides (NOx)

Sulfur oxides (SOx)

Sodium oxide

Carbon monoxide (CO) and carbon dioxide (CO₂)

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Advice for emergency responders: Protective equipment: see section 8
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling
- · Advice on safe handling: Prevent formation of dust.
- · Hygiene measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from exposure to the light.

Store in dry conditions.

Protect from humidity and water.

(Contd. on page 3)

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 2)

- · Recommended storage temperature: 20°C +/- 5°C (approx. 68°F)
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Personal protective equipment:

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- · Breathing equipment: Use respiratory protective device against the effects of fume/dust/aerosol.
- Recommended filter device for short term use: Filter P2
- · Protection of hands:

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: \geq 0.11 mm

· Penetration time of glove material

Value for the permeation: Level \leq 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses

use against the effects of fumes / dust

- · Body protection: Protective work clothing
- \cdot Limitation and supervision of exposure into the environment:

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties

Appearance:

Form / Physical state: Tablets
Color: White
Odor: Strong
Odor threshold: Not determined.

· pH-value (9 g/l) at 20°C (68°F): 4.48

Melting point/freezing point: Not determined.
 Initial boiling point and boiling range: Not determined.

• Flash point: >100°C (>212°F) (CAS: 7775-14-6 sodium dithionite)
• Flammability (solid, gas): The mixture is capable of catching fire or being set on fire.

Ignition temperature:
 Decomposition temperature:
 Auto-ignition temperature:
 Not applicable (solid).
 >80 °C (>176 °F)
 Product is not self-igniting.

Danger of explosion: As the product is supplied it is not capable of dust explosion; however enrichment with

fine dust causes risk of dust explosion.

· Flammability or explosive limits:

Lower: Not determined.
Upper: Not applicable (solid).

· Oxidizing properties: none

Vapor Pressure: Not applicable (solid).
 Density: Not determined.
 Relative density: Not determined.

(Contd. on page 4)

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 3)

Vapor density: Not applicable.
 Evaporation rate: Not applicable.

Solubility(ies)

· Water: Soluble.

Partition coefficient (n-octanol/water): Not applicable (mixture).
 Viscosity: Not applicable.
 Kinematic: Not applicable (solid).

· Other information

· Solids content: 100.0 %

*10 Stability and reactivity

- · Reactivity Dust can combine with air to form an explosive mixture.
- · Chemical stability Stable at ambient temperature (room temperature).
- Possibility of hazardous reactions

Contact with acids releases toxic gases.

Reacts with oxidizing agents.

--> Forms heat.

· Conditions to avoid

strong heating

Exposure to moisture.

- Incompatible materials: sodium chlorite
- · Hazardous decomposition products: see section 5

*11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

CAS: 7775-14-6 sodium dithionite

Oral	LD50	500 mg/kg (ATE)
	LD50.	2500 mg/kg (rat)
		(IUCLID)

- · Primary irritant effect:
- · on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Information on components:

CAS: 7775-14-6 sodium dithionite

Irritation of skin OECD 404 (rabbit: no irritation)

- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

CAS: 999-99-9 one or more ingredient(s)

Group 3: Not classifiable as to carcinogenicity to humans

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Other information: see section 8 / 15
- · Synergistic Products: None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): The following statements refer to the mixture:
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 4)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

· Toxicity

Aquatic toxicity:

CAS: 7775-14-6 sodium dithionite

EC50 98 mg/l/48h (Daphnia magna)
MERCK

IC50 206 mg/l/72h (Desmodesmus subspicatus)
MERCK

LC50 46–68 mg/l/96h (gold orfe) (DIN 38412)
(Merck)

· Bacterial toxicity:

CAS: 7775-14-6 sodium dithionite

EC50 107 mg/l (Pseudomonas putida)

- Persistence and degradability No further relevant information available.
- Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 7775-14-6 sodium dithionite

log Pow <-4.7 (.) (calculated)

- Mobility in soil No further relevant information available.
- Other adverse effects

Avoid transfer into the environment.

Reacts with water to form toxic decomposition products.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· Class

· UN-Number · DOT, IMDG, IATA	none	
· UN proper shipping name · DOT, IMDG, IATA	none	
· Transport hazard class(es)		
· DOT. IMDG. IATA		

none

(Contd. on page 6)

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 5)

	(Conta. or page o	
· Packing group · DOT, IMDG, IATA	none	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (Extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS 100-97-0: c < 0,1%

CAS: 7775-14-6 sodium dithionite CAS: 100-97-0 methenamine

New Jersey Special Hazardous Substance List:

CAS: 7775-14-6 sodium dithionite

R2

· Pennsylvania Right-to-Know List:

CAS: 7775-14-6 sodium dithionite

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Information about limitation of use: Not required.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 10/11/2021 Reviewed on 10/11/2021

Trade name: Copper No.2

(Contd. of page 6)

· Relevant phrases

H251 Self-heating: may catch fire. H302 Harmful if swallowed.

· Date of preparation / last revision 10/11/2021 / 2

Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

•A2 - Suspected human carcinogen •A3 - Confirmed animal carcinogen with unknown relevance to humans

•A4 - Not classifiable as a human carcinogen

•A5 - Not suspected as a human carcinogen

IARC - International Agency for Research on Cancer

•Group 1 - Carcinogenic to humans
•Group 2A - Probably carcinogenic to humans

•Group 2B - Possibly carcinogenic to humans

•Group 3 - Not classifiable as to carcinogenicity to humans
•Group 4 - Probably not carcinogenic to humans
NTP - National Toxicology Program, U.S. Department of Health and Human Services
•Group K - Known to be Human Carcinogens

•Group R - Reasonably Anticipated to be Human Carcinogens

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit
Self-heat. 1: Self-heating substances and mixtures – Category 1
Acute Tox. 4: Acute toxicity – Category 4

Data arise from safety data sheets, reference works and literature.

ECHA: European CHemicals Agency http://echa.europa.eu

IUCLID (International Uniform Chemical Information Database)

ECOTOX Database

* Data compared to the previous version altered.

HS -